MATERIAL SAFETY DATA SHEET

1. PRODUCT AND COMPANY IDENTIFICATION

NAME: SUPER SALCO CLEANER USE: GENERAL PURPOSE CLEANE

MADE BY: U S CHEMICAL. STR. MORTH LONG AVENUE.
DISTRIBUTED BY: W.H. SALISBURY, 7520 NORTH LONG AVENUE.
MEDICAL EMERIGENCY I: 1-800-454-9500 USA
PRODUCT INFORMATION II: 1-877-405-4501 (8 A.M. TO 5 P.M. CST MONDAY TO FRIDAY)
REVIEWED 8-22-06 REVISED 8-22-06 SECTION REVISED: 1

TABLE STR. S. DENTIFICATION U S CHEMICAL. 316 HART STREET, WATERTOWN, WI 530 W.H. SALISBURY, 7520 NORTH LONG AVENUE, SKOKIE, IL 50077 USA WATERTOWN WI STON USA

EMERGENCY OVERVIEW:
DANGER, CORROSIVE TO EYES, CAUSES EYE BURNS, HARMFUL OR FATAL IF SWALLOWED.

PRINCIPLE ROUTES OF EXPOSURE: EYES, SKIN, INCESTION, INHALATION

POTENTIAL ACUTE HEALTH EFFECTS

EYES: CORROSIVE CAUSES EYE BURNS, MAY CAUSE PERMANENT DAMAGE INCLUDING BUHDNESS WITHOUT INMEDIATE FIRST AID TREATMENT.

SEIN- MAY BE SEVERELY INRITATING TO SKIN

INHALATION: MAY CAUSE PRITATION TO NOSE, THROAT, AND RESPIRATORY SYSTEM.

INCESTION: CORROSIVE, MAY CAUSE BURNS TO MOUTH, THROAT AND STOMACH

MEDICAL CONDITIONS AGGRAVATED: NONE KNOWN

3. COMPOSITION / INFORMATION ON INGREDIENTS

HAZAROXISE BIGBEREET	C18.e	NEW T	LOMLON
SODIUM METASILICATE	6834-92-0	1.0 - 5.0	SEE 11.
POTASSIUM SALT OF DIBASIC FATTY ACID	68127-33-3	1.0 - 5.0	NAY.

STATE BROWT TO KNOW: THIS PRODUCT CONTAINS: WATERT732-18-5, SODIUM TRIPOLYPHOSPHATE/7758-29-4, SODIUM METASILICATE/6834-92-0, PARETH/68439-46-3, POTASSIUM SALT OF DIBASIC FATTY ACID-68127-39-3

SUPER SALCO CLEANER

MSDS # 100798

Page 1 of 4

8. EXPOSURE CONTROLS / PERSONAL PROTECTION Page 3 cf 4

EXPOSURE LIMITS: N.AV.

ENGINEERING CONTROLS: NONE REQUIRED. GENERAL ROOM VENTILATION IS ADEQUATE.

PERSONAL PROTECTION

EYES: SPLASH PROOF SAFEY GLASSES, BAFETY GOGGLES AND AN EYE WASH STATION.
HANDS: CHEMICAL RESISTANT GLOVES: RUBBER OR NEOPRENE, LONG TYPE IF NEEDED.
RESPIRATORY: IF INSTEVAPORS ARE NOT CONTROLLED BY VENTLAYOR, WEAR SUITABLE RESPIRATOR. FEET: WEAR PROTECTIVE FOOTWEAR DURING SPILL CLEAN-UP.

BODY: IF MAJOR EXPOSURE IS POSSIBLE, WEAR FULL COVER PROTECTIVE CLOTHING.

9. PHYSICAL AND CHEMICAL PROPERTIES

FLASH POINT: N.AP. UEL: N.AP. LEL: N.AP. COLOR: LIGHT AMBER ODOR: NONE BH CONCENTRATE: ABOVE 12.0 PH & 2500 PPM SOLUTION: N.AP. EVAPORATION BATE: N.AP. ODOR THRESHOLD: N AF PHYSICAL STATE: LIQUID SPECIFIC GRAVITY: 1.080 VISCOSITY: NON-VISCOUS VAPOR PRESSURE: N.AP VAPOR DENSITY: N. AP. COEFF. OIL/WATER: N.AP. BOILING POINT: N.AP. MELTING POINT: N.AP. WATER SOLUBILITY: COMPLETE OTHER: N.AP.

10. STABILITY AND REACTIVITY

STABLE: YES

CONDITIONS TO AVOID: AVOID TEMPERATURES BELOW 35"F OR ABOVE 120"F.

MATERIALS TO AVOID: AVOID MIXING DIRECTLY WITH ANY OTHER CLEANING PRODUCT, AVOID OXIDIZING AGENTS, MIX ONLY WITH WATER

DECOMPOSITION PRODUCTS: FIRE OR MIXING WITH INCOMPATIBLE MATERIALS MAY PRODUCE OXIDES OF CARBON AND OTHER TOXIC OR IRRITATING FUMES.

POSSIBILITY OF HAZARDOUS REACTIONS: N.AP.

11. TOXICOLOGICAL INFORMATION

ACUTE EFFECTS: SEE SECTION 2. ACCITECTES: SEE SECTION 2.

CHRONG EFFECTS: NONE KNOWN. NO REPORTABLE CARCINOGENS, MUTAGENS,
SENSITIZERS, SYNERGISTIC MATERIALS, TERATOGENS, OR REPRODUCTIVE TOXINS.
LCSRLDSI: SOCIUM METASILICATE: 800 MG/KG ORAL-RAT LDS0
TARGET ORGANS: EYES, SKIN, RESPIRATORY SYSTEM.
OTHER TOXIC EFFECTS: NONE KNOWN. SUPER SALCO CLEANER

MSDS # 100798 6253

4. FIRST AID MEASURES

Parcan 2 cri ∗ EYES: FLOOD WITH LUKEWARM (NOT HOT) WATER POURED FROM A LARGE GLASS 2 OR 3 INCHES FROM EYES. REMOVE CONTACTS. HAVE PATIENT BLINK AS MUCH AS POSSIBLE WHILE FLOODING THE EYES. CONTINUE FOR AT LEAST 15 MINUTES. SKINE. REMOVE CONTAKINATED LOTHES, THEN FLOOD WITH WATER. WHIALATION: MOVE VICTIM TO FRESH AIR. GIVE ARTIFICIAL RESPIRATION IF PATIENT IS NOT BREATHING NOT BREATHING.

INGESTION: DO NOT INDUCE VOMITING. IF PATIENT IS CONSCIOUS AND CAN SWALLOW, ADMINISTER MILK OR WATER.

ADMINISTER MILK OR WATER.

ADMINISTER FIRST AND TREATMENT AS STATED ABOVE, THEN CALL 1-800-851-7145 EXT. 075 OR CONTACT PHYSICIAN FOR FURTHER MEDICAL INSTRUCTIONS.

INGTE TO PHYSICIAN: CALL-1-80-89-7146 EXT. 073 FOR ASSISTANCE WITH THE MANAGEMENT OF EXPOSURES.

S. FIRE-FIGHTING MEASURES

FLAMMABILITY: NO HAZARD.

FLABIRABILITY NO ROCORD.
FLABIR POINT: N.A.P.
PRODUCTS OF COMBUSTION: SEE SECTION 10.
SUITABLE EXTINGUISHING MEDIA: FOR FIRES IN AREA, USE APPROPRIATE MEDIA
FOR EXAMPLE: WATER SPRAY, DRY CHEMICAL, CARBON DIOXIDE, OR ALCOHOL FOAM.

SPECIFIC METHODS: NORMAL FIRE FIGHTING PROCEDURES MAY BE USED.

8. ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS: SEE SECTION 8.

SPILL, RESPONBE: EVACUATE UNPROTECTED PERSONNEL FROM AREA. WEAR PROPER PROTECTIVE COUPMENT INCLUDING RUSBER BOOTS. VENTLATE AREA IS NEEDED. STOP LEAK IF YOU CAN DO SO WITHOUT RISK, DIKE OR DAM LARGE SPILLS. AVOID DIRECT DISCHARGE TO SEWER AND SURFACE WATERS. PURP TO CONTAINER OR SOAK UP WITH NON-COMBUSTIBLE INERT ASSORBENT MATERIALS. AFTER SPILL COLLECTION, FLUSH AREA WITH WATER AND FOLLOW WITH NORMAL CLEAN-UP PROCEDURES. BE CAREFUL AS SPILLS ARE SUPPERY

7. HANDLING AND STORAGE

HANDLING: FOLLOW ALL LABEL DIRECTIONS. INSTRUCT PERSONNEL ABOUT PROPER USE, HAZARDS, PRECAUTIONS, AND FIRST AID MEASURES. AVOID INGESTION AND CONTACT WITH EYES. DO NOT TASTE OR SWALLOW, REMOVE AND WASH CONTAMINATED CLOTHING AND FOOTWEAR BEFORE RE-USE. PRODUCT RESIDUE MAY REMAIN ON OR IN EMPTY CONTAINERS. HANDLE CAREFULLY TO AVOID DAMAGING CONTAINER.

STORAGE: ROTATE STOCK REGULARLY. KEEP CONTAINER CLOSED WHEN NOT IN USE. AVOID TEMPERATURES BELOW 35°F OR ABOVE 120°F. PROTECT FROM FREEZING STORAGE AT AMBIENT TEMPERATURES IN A DRY AREA QUIT OF DIRECT SUNLIGHT IS RECOMMENDED. KEEP AWAY FROM FOOD AND DRINK. KEEP OUT OF CHILDREN'S REACH

SUPER SALCO CLEANER

MSDS # 100798

12. ECOLOGICAL INFORMATION

NOT AVAILABLE

13. DISPOSAL CONSIDERATIONS

DISPOSAL METHOD: COMPLY WITH ALL FEDERAL STATE, PROVINCIAL AND LOCAL LAWS AND REGULATIONS. CONSULT STATE AND LOCAL AUTHORITIES FOR RESTRICTIONS ON DISPOSAL OF CHEMICAL WASTE, MANAGE CHEMICAL WASTES THROUGH AN APPROVED WASTE TREATMENT FACILITY. DO NOT REUSE EMPTY CONTAINER THOROUGHLY WITH WATER BEFORE DISCARDING CONTAINER IN ACCORDANCE WITH CURRENT LOCAL COMMUNITY CODES. PLEASE RECYCLE EMPTY CONTAINER WHENEVER POSSIBLE.

14. TRANSPORT INFORMATION

DOT/TOG: NOT REGULATED DOT RO: N.AP DOT ERG #: N.AP.

EPA CERCLA RQ:

15. REGULATORY INFORMATION N.AF

EPA VEGILLA RUI: N.A.P'
EPA REGIETERED: NO
EPA VOC.; 0.00
EPA VOC.; 0.00
EPA VOC. RUE: THIS PRODUCT DOES NOT CONTAIN VOLATILE ORGANIC COMPOUNDS. EPA YOC RULE: THIS PRODUCT DOES NOT CONTAIN VOLATILE ORGANIC COMPOUN KOSHER (CRC): YES

DSHA HAZARDOUS: YES

PHOSPHORUS CONTENT: SEE LABEL

PROPOSITION 65: N.AP.

SARA 31/312 HAZARDOS: ACUTE

SARA 31/312 HAZARDOS: N.AP.

STATE RIGHT TO KNOW: SEE SECTION 3 FOR STATE RTK CHEMICAL NAMES.

TSCA INVENTION? STATUS: ALL COMPONENTS ARE LISTED ON THE INVENTION?

WANNER (1 ABR) N.O.B.

WHINE CLASS: D-28

18. OTHER INFORMATION

NPPA RATING: HEALTH-3/FLAMMABILITY-0/REACTIVITY-0/SPECIAL HAZARD-N-AP HIMB RATING: HEALTH-3/FLAMMABILITY-0/REACTIVITY-0/PERSONAL PROTECTION-SEE 8.0

N.AV. - NOT AVAILABLE N.AP. - NOT APPLICABLE

NOTICE TO READER
THIS DOCUMENT HAS BEEN PREPARED USING DATA FROM SCURCES CONSIDERED TECHNICALLY
RELIABLE. IT DOES NOT CONSTITUTE A WARRANTY, EXPRESS OR IMPLIED, AS TO THE ACCURACY
OF THE INFORMATION CONTAINED WITHIN. ACTUAL CONDITIONS OF USE AND HANCLING ARE
SEYOND SELLERS CONTROL. USER IS RESPONSIBLE FOR EVALUATING ALL AVAILABLE
INFORMATION WHEN USING PRODUCT FOR ANY PARTICILAR USE AND TO COMPLY WITH ALL
FEDERAL, STATE, PROVINCIAL AND LOCAL LAWS AND REGULATIONS.

MATERIAL SAFETY DATA SHEET

Page 1 of 4

1. PRODUCT AND COMPANY IDENTIFICATION

NAME: SUPER SALCO CLEANER USE: **GENERAL PURPOSE CLEANER**

MSDS # 100798

MADE BY:

US CHEMICAL.

316 HART STREET.

WATERTOWN, WI 53094 USA

W. H. SALISBURY, 7520 NORTH LONG AVENUE, SKOKIE, IL 60077 USA DISTRIBUTED BY:

MEDICAL EMERGENCY #: 1-800-851-7145 EXT. 075 USA

SPILL EMERGENCY #: 1-800-424-9300 USA

PRODUCT INFORMATION #: 1-877-406-4501 (8 A.M. TO 5 P.M. CST MONDAY TO FRIDAY)

REVISED 8-22-06 SECTION REVISED: 1 REVIEWED 8-22-06

2. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW:

DANGER. CORROSIVE TO EYES. CAUSES EYE BURNS. HARMFUL OR FATAL IF SWALLOWED.

PRINCIPLE ROUTES OF EXPOSURE: EYES, SKIN, INGESTION, INHALATION.

POTENTIAL ACUTE HEALTH EFFECTS

EYES: CORROSIVE, CAUSES EYE BURNS, MAY CAUSE PERMANENT DAMAGE INCLUDING BLINDNESS

WITHOUT IMMEDIATE FIRST AID TREATMENT.

SKIN: MAY BE SEVERELY IRRITATING TO SKIN.

INHALATION: MAY CAUSE IRRITATION TO NOSE, THROAT, AND RESPIRATORY SYSTEM.

INGESTION: CORROSIVE. MAY CAUSE BURNS TO MOUTH, THROAT AND STOMACH.

MEDICAL CONDITIONS AGGRAVATED: NONE KNOWN.

3. COMPOSITION / INFORMATION ON INGREDIENTS

HAZARDOUS INGREDIENT	CAS#	% BY WT	LC50/LD50
SODIUM METASILICATE	6834-92-0	1.0 - 5.0	SEE 11.
POTASSIUM SALT OF DIBASIC FATTY ACID	68127-33-3	1.0 - 5.0	N.AV.

STATE RIGHT TO KNOW: THIS PRODUCT CONTAINS:

WATER/7732-18-5, SODIUM TRIPOLYPHOSPHATE/7758-29-4, SODIUM METASILICATE/6834-92-0.

PARETH/68439-46-3, POTASSIUM SALT OF DIBASIC FATTY ACID/68127-33-3

4. FIRST AID MEASURES

Page 2 of 4

EYES: FLOOD WITH LUKEWARM (NOT HOT) WATER POURED FROM A LARGE GLASS 2 OR 3 INCHES FROM EYES. REMOVE CONTACTS. HAVE PATIENT BLINK AS MUCH AS POSSIBLE WHILE FLOODING THE EYES. CONTINUE FOR AT LEAST 15 MINUTES.

SKIN: REMOVE CONTAMINATED CLOTHES, THEN FLOOD WITH WATER.

INHALATION: MOVE VICTIM TO FRESH AIR. GIVE ARTIFICIAL RESPIRATION IF PATIENT IS NOT BREATHING.

INGESTION: DO NOT INDUCE VOMITING. IF PATIENT IS CONSCIOUS AND CAN SWALLOW,

ADMINISTER MILK OR WATER.

ADMINISTER FIRST AID TREATMENT AS STATED ABOVE, THEN CALL 1-800-851-7145 EXT.

075 OR CONTACT PHYSICIAN FOR FURTHER MEDICAL INSTRUCTIONS.

NOTE TO PHYSICIAN: CALL 1-800-851-7145 EXT. 075 FOR ASSISTANCE WITH THE MANAGEMENT OF EXPOSURES.

5. FIRE-FIGHTING MEASURES

FLAMMABILITY: NO HAZARD.

FLASH POINT: N.AP.

PRODUCTS OF COMBUSTION: SEE SECTION 10.

SUITABLE EXTINGUISHING MEDIA: FOR FIRES IN AREA, USE APPROPRIATE MEDIA.
FOR EXAMPLE: WATER SPRAY, DRY CHEMICAL, CARBON DIOXIDE, OR ALCOHOL FOAM.

SPECIFIC HAZARDS: N.AP.

SPECIFIC METHODS: NORMAL FIRE FIGHTING PROCEDURES MAY BE USED.

6. ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS: SEE SECTION 8.

SPILL RESPONSE: EVACUATE UNPROTECTED PERSONNEL FROM AREA. WEAR PROPER PROTECTIVE EQUIPMENT INCLUDING RUBBER BOOTS. VENTILATE AREA IF NEEDED. STOP LEAK IF YOU CAN DO SO WITHOUT RISK. DIKE OR DAM LARGE SPILLS. AVOID DIRECT DISCHARGE TO SEWER AND SURFACE WATERS. PUMP TO CONTAINER OR SOAK UP WITH NON-COMBUSTIBLE INERT ABSORBENT MATERIALS. AFTER SPILL COLLECTION, FLUSH AREA WITH WATER AND FOLLOW WITH NORMAL CLEAN-UP PROCEDURES. BE CAREFUL AS SPILLS ARE SLIPPERY.

7. HANDLING AND STORAGE

HANDLING: FOLLOW ALL LABEL DIRECTIONS. INSTRUCT PERSONNEL ABOUT PROPER USE, HAZARDS, PRECAUTIONS, AND FIRST AID MEASURES. AVOID INGESTION AND CONTACT WITH EYES. DO NOT TASTE OR SWALLOW. REMOVE AND WASH CONTAMINATED CLOTHING AND FOOTWEAR BEFORE RE-USE. PRODUCT RESIDUE MAY REMAIN ON OR IN EMPTY CONTAINERS. HANDLE CAREFULLY TO AVOID DAMAGING CONTAINER.

STORAGE: ROTATE STOCK REGULARLY. KEEP CONTAINER CLOSED WHEN NOT IN USE. AVOID TEMPERATURES BELOW 35°F OR ABOVE 120°F. PROTECT FROM FREEZING. STORAGE AT AMBIENT TEMPERATURES IN A DRY AREA OUT OF DIRECT SUNLIGHT IS RECOMMENDED. KEEP AWAY FROM FOOD AND DRINK. KEEP OUT OF CHILDREN'S REACH.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Page 3 of 4

EXPOSURE LIMITS: N.AV.

ENGINEERING CONTROLS: NONE REQUIRED. GENERAL ROOM VENTILATION IS ADEQUATE.

PERSONAL PROTECTION

EYES: SPLASH PROOF SAFEY GLASSES, SAFETY GOGGLES AND AN EYE WASH STATION.

HANDS: CHEMICAL RESISTANT GLOVES: RUBBER OR NEOPRENE. LONG TYPE IF NEEDED.

RESPIRATORY: IF MISTS/VAPORS ARE NOT CONTROLLED BY VENTILATION, WEAR SUITABLE RESPIRATOR.

FEET: WEAR PROTECTIVE FOOTWEAR DURING SPILL CLEAN-UP.

BODY: IF MAJOR EXPOSURE IS POSSIBLE, WEAR FULL-COVER PROTECTIVE CLOTHING.

9. PHYSICAL AND CHEMICAL PROPERTIES

COLOR: LIGHT AMBER FLASH POINT: N.AP.

ODOR: NONE

pH CONCENTRATE: ABOVE 12.0

UEL: N.AP.

LEL: N.AP.

pH @ 2500 PPM SOLUTION: N.AP. EVAPORATION RATE: N.AP.

PH @ USE DILUTION: N.AP.

PHYSICAL STATE: LIQUID

SPECIFIC GRAVITY: 1.080

VISCOSITY: NON-VISCOUS

ODOR THRESHOLD: N.AP

VAPOR PRESSURE: N.AP

VAPOR DENSITY: N. AP.

COEFF. OIL/WATER: N.AP.

BOILING POINT: N.AP. WATER SOLUBILITY: COMPLETE

MELTING POINT: N.AP. OTHER: N.AP.

10. STABILITY AND REACTIVITY

STABLE: YES

CONDITIONS TO AVOID: AVOID TEMPERATURES BELOW 35°F OR ABOVE 120°F.

MATERIALS TO AVOID: AVOID MIXING DIRECTLY WITH ANY OTHER CLEANING PRODUCT. AVOID OXIDIZING AGENTS. MIX ONLY WITH WATER.

DECOMPOSITION PRODUCTS: FIRE OR MIXING WITH INCOMPATIBLE MATERIALS MAY PRODUCE OXIDES OF CARBON AND OTHER TOXIC OR IRRITATING FUMES.

POSSIBILITY OF HAZARDOUS REACTIONS: N.AP.

11. TOXICOLOGICAL INFORMATION

ACUTE EFFECTS: SEE SECTION 2.

CHRONIC EFFECTS: NONE KNOWN. NO REPORTABLE CARCINOGENS, MUTAGENS, SENSITIZERS, SYNERGISTIC MATERIALS, TERATOGENS, OR REPRODUCTIVE TOXINS.

LC50/LD50: SODIUM METASILICATE: 800 MG/KG ORAL-RAT LD50

TARGET ORGANS: EYES, SKIN, RESPIRATORY SYSTEM.

OTHER TOXIC EFFECTS: NONE KNOWN.

12. ECOLOGICAL INFORMATION

Page 4 of 4

NOT AVAILABLE.

13. DISPOSAL CONSIDERATIONS

DISPOSAL METHOD: COMPLY WITH ALL FEDERAL, STATE, PROVINCIAL AND LOCAL LAWS AND REGULATIONS. CONSULT STATE AND LOCAL AUTHORITIES FOR RESTRICTIONS ON DISPOSAL OF CHEMICAL WASTE. MANAGE CHEMICAL WASTES THROUGH AN APPROVED WASTE TREATMENT FACILITY. DO NOT REUSE EMPTY CONTAINER. RINSE EMPTY CONTAINER THOROUGHLY WITH WATER BEFORE DISCARDING CONTAINER IN ACCORDANCE WITH CURRENT LOCAL COMMUNITY CODES. PLEASE RECYCLE EMPTY CONTAINER WHENEVER POSSIBLE.

14. TRANSPORT INFORMATION

DOT/TDG: NOT REGULATED

DOT RQ: N.AP.
DOT ERG #: N.AP.

15. REGULATORY INFORMATION

EPA CERCLA RQ: N.AP. EPA REGISTERED: NO

EPA %VOC: 0.00

EPA VOC RULE: THIS PRODUCT DOES NOT CONTAIN VOLATILE ORGANIC COMPOUNDS.

KOSHER (CRC): YES OSHA HAZARDOUS: YES

PHOSPHORUS CONTENT: SEE LABEL

PROPOSITION 65: N.AP.

SARA 311/312 HAZARDS: ACUTE SARA 313 CHEMICALS: N.AP.

STATE RIGHT TO KNOW: SEE SECTION 3 FOR STATE RTK CHEMICAL NAMES.

TSCA INVENTORY STATUS: ALL COMPONENTS ARE LISTED ON THE INVENTORY.

WHMIS CLASS: D-2B

16. OTHER INFORMATION

NFPA RATING: HEALTH-3/FLAMMABILITY-0/REACTIVITY-0/SPECIAL HAZARD-N.AP.

HMIS RATING: HEALTH-3/FLAMMABILITY-0/REACTIVITY-0/PERSONAL PROTECTION-SEE 8.0

N.AV. = NOT AVAILABLE N.AP. = NOT APPLICABLE

PREPARED BY: HEALTH AND SAFETY

NOTICE TO READER

THIS DOCUMENT HAS BEEN PREPARED USING DATA FROM SOURCES CONSIDERED TECHNICALLY RELIABLE. IT DOES NOT CONSTITUTE A WARRANTY, EXPRESS OR IMPLIED, AS TO THE ACCURACY OF THE INFORMATION CONTAINED WITHIN. ACTUAL CONDITIONS OF USE AND HANDLING ARE BEYOND SELLER'S CONTROL. USER IS RESPONSIBLE FOR EVALUATING ALL AVAILABLE INFORMATION WHEN USING PRODUCT FOR ANY PARTICULAR USE AND TO COMPLY WITH ALL FEDERAL, STATE, PROVINCIAL AND LOCAL LAWS AND REGULATIONS.